

Health Level Seven Standard

**Context Management Specification
Data Definition: Patient Subject
Version CM-1.0**

DOCUMENT ID: HL7SIGVI_5_4_99

REVISION ID: May 24, 1999

FILE NAME: hl7_sigvi_patient_cm_1_0 .doc

SUPERCEDES: n/a

Copyright © 1999 by Health Level Seven, Inc.
ALL RIGHTS RESERVED. The reproduction of this material in any
form is strictly forbidden without written permission of the publisher.

Contents

1	INTRODUCTION.....	6
1.1	CONTEXT MANAGEMENT DOCUMENT OVERVIEW	6
1.2	CONTEXT DATA SUBJECT	8
1.3	CONTEXT DATA ITEM FORMAT	8
1.4	CASE SENSITIVITY	9
1.5	ITEM VALUES AND DATE TYPES.....	9
1.6	LOCALIZATION.....	9
2	PATIENT SUBJECT	10
2.1	STANDARD PATIENT CONTEXT DATA ITEMS.....	10
2.2	EXAMPLES OF PATIENT SUBJECT ITEMS.....	12
3	HL7 DATA TYPE REFERENCE	14

Figures

Figure 1: Organization of HL7 Context Management Specification Documents.....	7
---	---

Preface

This document was prepared by Kyle Marchant, 3M Health Information Systems, on behalf of Health Level Seven's Special Interest Group on Visual Integration (formerly the Clinical Context Object Workgroup --- CCOW). Comments about the organization or wording of the document should be directed to the author (krmarchant@mmm.com). Comments about technical content should be directed to ccow@lists.hl7.org.

1 Introduction

The goal of this document is to provide a specification of the standard context data items that shall be supported for patient subject for the HL7 Context Management Architecture (CMA). For the patient subject this document specifies the standard context data items that are available for applications to use in setting and accessing the common clinical context.

1.1 Context Management Document Overview

It is beyond the scope of this document to provide all of the details that are needed in order to fully implement conformant CMA applications and components. The necessary additional details are covered in a series of companion specification documents, starting most notably with the Health Level Seven Context Management Specification, Technology- And Subject- Independent Component Architecture, CM-1.0.

These documents are organized to facilitate the process of defining additional link subjects and to accelerate the process of realizing the CMA using any one of a variety of technologies:

- There is an HL7 context management user interface specification document for each of the user interface technologies with which CMA-enabled applications can be implemented. Each document reflects the user interface requirements established in this document in terms of a technology-specific look-and-feel. Concurrent with the publication of this document, the following document has been developed:

Health Level-Seven Standard Context Management Specification,
User Interface: Microsoft Windows OS, Version CM-1.0

- There is an HL7 context management component technology mapping specification document for each of the component technologies. Each document provides the technology-specific details needed to implement CMA-compliant applications and the associated CMA components, as specified in this document. Concurrent with the publication of this document, the following document has been developed:

Health Level-Seven Standard Context Management Specification,
Component Technology Mapping: ActiveX, Version CM-1.0

Finally, the context management subjects and technologies that are of interest are determined by the HL7 constituency. There is an HL7 context management data definition specification document for each of the standard link subjects. Each document defines the data elements that comprise a link subject. Concurrent with the publication of this document for the patient subject, the following document has been developed:

Health Level-Seven Standard Context Management Specification,
Data Definition: User Subject, Version CM-1.0

The organization of this set of documents is illustrated in Figure 1.




Figure 1: Organization of HL7 Context Management Specification Documents

1.2 Context Data Subject

Context data is grouped by subject. Each subject represents a real-world entity or concept. Each subject is described by a set of context data items. Each context data item is structured as a name/value pair. This document specifies the items for the patient subject. The specific names and data types for each of the patient subject context data items are specified later in this document.

1.3 Context Data Item Format

The general format of a context data item name is:

`Item_subject_label.role.item_name_prefix.optional_item_name_suffix`

Item_subject_label is the name of the subject to which the item belongs.

Role indicates the role of the item, as follows:

- “Id” = standard identifier data, which is used to identify a real-world entity or concept.
- “Co” = standard corroborating data, which is used by applications and/or users to corroborate the identity of a real-world entity or concept.
- “Zz” = non-standard organizationally defined data, the meaning of which is specified by the organization that defined the item.

Item_name_prefix is the name of the item within the context of its subject.

Optional_item_name_suffix is optional for identifier and corroborating data items. It’s purpose is to two-fold:

- For identifier items, the suffix enables multiple items to represent the same logical concept. For example, at a particular site, patients may be identified by multiple medical record numbers. Each item that represents a patient medical record number would have the same item subject label, role, and item name prefix. However, each item name would have a different site-defined item name suffix.
- For non-standard items, the suffix shall always identify the name of organization that defined the item.

The HL7 Standard Context Management Specification, Technology-and-Subject-Independent Component Architecture specification document should be consulted for additional details on the definition and structure of context item names.

1.4 Case Sensitivity

Item names, and item values whose data type is a character string, shall be treated as “case insensitive” unless specifically noted otherwise. This means that unless specifically stated in one of the HL7 subject data definition documents, context participants, context managers, mapping agents etc. shall not rely on the case of a context item name or value when applying decision or comparison logic.

1.5 Item Values and Date Types

Where applicable, the HL7 Version 2.3 Specification for healthcare messaging data elements is used as the basis for context data item names and values.

1.6 Localization

Context data item names shall be in English, regardless of the country and/or location that the context manager and context participants are being used in. This enables those developing both context managers and context participants to code to a known language standard for each context subject area, while still allowing the user interface guidelines to take into account localization issues where appropriate.

The HL7 data types is used to represent context data item values support localized formatting of the values. For example, the XPN data type is used to represent a person’s name. This data type enables ideographic and phonetic as well as alphabetic representations of a person’s name. These alternative representations may be necessary in various countries.

2 Patient Subject

The item subject label for the patient subject is “Patient”.

A single patient may be identified using multiple patient subject identifier (id) items. Each item is differentiated by a different site-specific suffix. An application shall be configurable such that it can be instructed on-site as to which suffix (or suffices) it is to use when it interacts with the context manager to set or get patient context data. Use of this suffix, and the values that may be assigned to this suffix, is at the discretion of each healthcare institution at which a context management system is deployed.

2.1 Standard Patient Context Data Items

The standard context data items for the patient subject are described below.

<u>Patient Subject Identifier Item Name</u>	<u>Meaning</u>	<u>HL7 Data Type</u>	<u>Semantic constraints on values</u>	<u>Case Sensitive</u>
Patient.Id.MPI	Patient’s master patient identifier.	ST	none	No. For example, “1234aa” and “1234AA” are the same master patient identifiers.
Patient.Id.MRN. <i>site_name</i> where <i>site_name</i> is a site-specified name of locale or site, or a set of locales or sites, for which this particular identifier item is valid.	Patient’s medical record number.	ST	none	No. For example, “01JSB0034” and “01jsb0034” are the same medical record numbers.
Patient.Id.NationalIdNumber	Patient’s national identifier number.	ST	none	no
Patient.Id.Alternate. <i>site_name</i> where <i>site_name</i> is a site-specified name of locale or site, or a set of locales or sites, for which this particular identifier item is valid.	Alternate patient identifier.	ST	none	no

An application shall set a value for at least one of items defined above whenever it sets the patient context.

Context Management Specification Data Definition: Patient Subject

<u>Patient Subject Corroborating Item Name</u>	<u>Meaning</u>	<u>HL7 Data Type</u>	<u>Semantic constraints on values</u>	<u>Case Sensitive</u>
Patient.Co.PatientName	Patient's name.	XP	none	no
Patient.Co.AliasName	Alias name for the patient.	XP	none	no
Patient.Co.DateOfBirth	Patient's Date and time of birth.	TS	none	no
Patient.Co.Sex	Patient's gender.	IS	F for female M for male O for other U for unknown	no
Patient.Co.DLN	Patient's drivers license number.	DLN	none	no
Patient.Co.SSN	Patient's Social security number	ST	none	no

An application may optionally set a value for items defined above when it sets the patient context.

2.2 Examples of Patient Subject Items

Below are examples of patient subject items:

Example Item Names	Example Item Values
Patient.Id.MPI	001KM002130-JJXXX-98
Patient.Id.MRN.St_Elsewhere_Clinic	SEC-KMAR-00hjd7792
Patient.Id.MRN.St_Somewhere_Clinic	SSC-KMAR-00WSB887455
Patient.Co.DateTimeOfBirth	19580317
Patient.Co.PatientName	Marchant^Kyle^^^^

3 HL7 Data Type Reference

The item data types referenced in Section 2, Patient Subject, are the same as those specified in the HL7 Version 2.3 Specification, Section 2.8, as described below:

<u>DATA TYPE</u>	<u>DATA TYPE NAME</u>	<u>HL7 Section Reference</u>
ID	Coded Value for HL7 Defined Table	2.8.19
IS	Coded Value For User Defined Table	2.8.20
ST	String	2.8.38
XPN ¹	Person Name	2.8.48
DLN	Drivers License Number	2.8.11
DT	Date	2.8.13
TS	Time Stamp	2.8.42

The formatting information for each of these fields is specified below, with its corresponding description and HL7 specification section identifier:

ID - coded value for HL7-defined tables (HL7 spec 2.8.19)

IS - coded value for user-defined tables (HL7 Spec 2.8.20)

ST - string data (HL7 Spec 2.8.38)

XPN - extended person name (HL7 Spec 2.8.48)

Components: <family name (ST)> ^ <given name (ST)> ^ <middle initial or name (ST)> ^ <suffix (e.g., JR or III) (ST)> ^ <prefix (e.g., DR) (ST)> ^ <degree (e.g., MD) (ST)> ^ <name type code (ID)> ^ <name representation code (ID)>

¹ The XPN data type is compatible with the PN data type. PN-based Applications can use just the PN part of an XPN data value.

Context Management Specification Data Definition: Patient Subject

DLN - driver's license number (HL7 Spec 2.8.11)

Components: <license number (ST)> ^ <issuing state, province,
country (IS)> ^ <expiration date (DT)>

DT - date (HL7 Spec 2.8.13)

Format: YYYY[MM[DD]]

TS - time stamp (HL7 Spec 2.8.42)

Format: YYYY[MM[DD[HHMM[SS[.S[S[S[S]]]]]]][+/-ZZZZ]^<degree of precision>

The following table identifies the special characters that are to be used in formatting context item data values that are represented as HL7 data types. Only the encoding characters and escape sequences indicated below shall be used:

Delimiter	Value	Escape Sequence
Component Separator	^	\S\
Sub-Component Separator	&	\T\
Repetition Separator	~	\R\
Escape Character	\	\E\
Hexadecimal data		\Xddd\

Index

C

Case Sensitivity, 9
CMA. *See* Context Management Architecture
Context Data
 Data Type, 9
 Item Name Format, 8
 Item Values, 9
 Localization, 9
 Subject, 8
Context Management Architecture, 6

D

Data Type, 14
 Reference, 14
Data types
 DT, 15
 PN, 14
 TS, 15

DT, 15

F

Figure 1: Organization of HL7 Context Management
 Specification Documents, 7

I

Introduction, 6

P

Patient Subject, 10
 Example Items, 12
 standard context data items, 10
PN, 14

T

TS, 15